



ULTRA THIN MONITOR LIFT






Product name	Ultra-thin Monitor lift System
Model No.	EIC-15.6
Material	full aluminum alloy
Panel Size	448 * 78 MM
Case Size	432*71*600 MM
Panel thickness	5mm aluminum panel or 1.8mm aluminum panel
Integrated monitor	15.6 inch LED screen
Resolution	1920*1080
Screen Size	377*238mm
Frequency	50/60Hz
Screen Tilt Angle	Automatic 0-15 degree
	Electricl adjustable 0-30 degree
Color	brushed aluminum silver / aluminum black matte
Connection Interface	HDMI, USB, RS232 I/O, Network, USB
Panel Button Detail	UP/DOWN/STOP for monitor operation
	Titt /back for angle adjustable
	Adjust brightness and color for screen
	Signal switching for HDMI to VGA
Integrated item selection	office automatic paperless system
Safe Protection	Anti-pinch hand protection
G.Weight	9.5kgs
Power Supply	220V/50HZ, 110v/60HZ
Max Power	28W
Service Life	Above 20000 times
Working Sound	Less than 15 decibels
Certification	ISO 9001:2015
Control Method	button on top panel, remote control, central control, wirless ipad network control
Product Function	Major lift monitor, hidden display monitor on meeting table, automatic lifting monitor up/down/stop accordingly,
Application	Conference room, meeting room, training room, boardroom, Army command room, Presidential election room, news release seminar room,school Academic seminar room,office senior executive meeting room, hotel



Product Parameter


Model No.	EIC-13.3	EIC-15.6	EIC-17.3	EIC-18.5	EIC-21.5	EIC-23.8
Surface Panel	Alluminum Alloy					
Monitor Shell	Alluminum Alloy					
Panel Case (MM)	398 x 78	448 x 78	513 x 78	513 x 78	558 x 78	608 x 78
Box Size (MM)	382 x 71 x 550	432 x 71 x 600	432 x 71 x 600	497 x 71 x 620	548 x 71 x 670	598 x 71 x 700
Monitor frame size (MM)	311 x 195 x 8	361 x 227 x 8	399 x 251 x 8	430 x 260 x 8	493 x 290 x 16	543 x 325 x 18
Pitch Angle	15 Degree					
Switch	Up/Down/Stop + Tilt Adjustment					
Panel Input	USB / Button					
Color	Black / silver					
Case Bottom Input	HDMI + RS232 I/O+usb					
Display Size	13.3 Led Screen	15.6 Led Screen	17.3 Led Screen	18.5 Led Screen	21.5 Led Screen	23.8 Led Screen
Screen type	Touch IPS screen					
Frame	Alluminum Alloy					
Format	16:09 fullHD					
Resolution	1920 x 1080					
Frequency	50/60Hz					
Brightness	400cd/m2					
Contrast Ratio	800:1					
Response Time	50ms					
Frequency	50/60Hz					
Display Color	16.7m(10bit)					
Power Consumption	245					
Speed	40-50s					
Voltage	12					
Working Voltate	110`240 VAC					
Power	35W`55W					



Series Installation Graph

1,2 is "+" and 3,4 is "-"

First, have to use Serial Port to RJ11 Cable





Our Contact Detail

ELITE SALES INDIA CORPORATION

Office Address: 478/11, Phase-6, Shiv Vihar, Karawal Nagar Delhi-110094

Mobile No. +91-9999589401/04/05

EmailID: Info@elcorscreen.in | Sales@elcorscreen.in

Visit us: www.elcorscreen.in

